

BARODA POLYFORM

QUALITY CUSTOM MOULDERS

An ISO 9001:2008 Certified Private Limited Company

SUPER
Tanks & Containers

Accessories



SPIN WELDS FITTINGS

THREADED LIDS

FOAMING AGENTS

WELDING RODS



benchmark
CERTIFICATION


An ISO 9001 : 2008 certified company

Tank Connectors & Breathers

We have a wide range of Tank Connectors & Breathers. We supply them with the required equipment to apply on water tanks and chemical tanks etc.




Tank Connector (Pipe with Pipe)




Connector (Pipe with Pipe)		Size (in MM)	Size (in Inch)
	2" inch		
A	ID	46	1.81
	1.5" inch	Size (In MM)	Size (in Inch)
A	ID	30	1.18
	1" inch	Size (In MM)	Size (in Inch)
A	ID	30	1.18

Tank Connector (Tank with Pipe)



Connector (Tank with Pipe)		Size (in MM)	Size (in Inch)
	2" inch		
A	OD	58	2.28
B	ID	45	1.77
	1.5" inch	Size (In MM)	Size (in Inch)
A	OD	47	1.85
B	ID	39	1.54
	1" inch	Size (In MM)	Size (in Inch)
A	OD	33	1.30
B	ID	26	1.02
	1" inch (Different OD of both)	Size (In MM)	Size (in Inch)
A	OD	42	1.65
B	ID	31	1.22
	3/5" inch	Size (In MM)	Size (in Inch)
A	OD	25	0.98
B	ID	19	0.75

Breather



G Dust proof and Insect proof


Air Vent		Size (in MM)	Size (in Inch)
	1" inch		
A	OD	32	1.26
	1.5" inch	Size (In MM)	Size (in Inch)
A	OD	20	0.79

Spin welds fittings

We mould a wide range of spin weld fittings with tools and supply them with the required equipment to apply on fuel tanks, water tanks, road barriers, marine products etc.



Dead Plug




	Dead Plug 1.5" inch	Size (in MM)	Size (in Inch)
A	W	50	1.97
B	OD	46	1.81
C	H	27	1.06

	1" inch	Size (in MM)	Size (in Inch)
A	W	35	1.33
B	OD	32	1.25
C	H	25	0.93

	0.5" inch	Size (in MM)	Size (in Inch)
A	W	24	0.94
B	OD	20	0.79
C	H	3	0.12


Spin welds (With Inner Thread)



	Spin Weld with inner thread 1.5" inch	Size (in MM)	Size (in Inch)
A	W	71	2.80
B	OD	58	2.28
C	H	16	0.63
D	ID	45	1.77

	1" inch	Size (in MM)	Size (in Inch)
A	W	55	2.17
B	OD	40	1.57
C	H	24	
0.94D	ID	1.18	

Spin welds (With Top Side Blind)



	Spin Weld 1.5" inch	Size (in MM)	Size (in Inch)
A	W	71	2.80
B	OD	59	2.32
C	H	21	0.83

	1" inch	Size (in MM)	Size (in Inch)
A	W	55	2.17
B	OD	44	1.73
C	H	25	0.98

Threaded Lids



We offer a wide range of threaded lids rings to keep your water fresh and hygene. This lids can also solve bacterial problem in your water.

Foaming Agents



Endothermic and exothermic foaming agents. Specially modified for the rotational moulding process. Excellent results to add mechanical and insulating properties of products. Applications in multi layer tanks, transport boxes, rigid containers and insulated walls.

Welding Rods



LLDPE welding rods that can be used with extruder guns or with plastic hand guns, a must for every rotomoulder.